

Raindance Select S

Overhead shower 300 2jet with ceiling connector

Finish: **White/Chrome** Article Number: **27337400**



Description

product features

- consists of: overhead shower, ceiling connector
- shower head size: 301 mm
- spray type: RainAir, Rain
- flow rate Rain spray at 3 bar: 17 l/min
- flow rate RainAir spray at 3 bar: 17 l/min
- maximum flow rate at 3 bar: 17 l/min
- minimum flow pressure: 1,5 bar
- Select button on overhead shower
- overhead shower angle adjustable
- material spray disc: metal
- spray disc surface: white
- spray disc removable for cleaning
- brass ceiling connector
- ceiling connection length: 100 mm
- installation: ceiling mounting
- connection thread: G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters


Technology



Product image




Scale drawing



Raindance Select S
Overhead shower 300 2jet with ceiling connector
 Finish: **White/Chrome** Article Number: **27337400**



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

Raindance Select S
Overhead shower 300 2jet with ceiling connector
 Finish: **White/Chrome** Article Number: **27337400**



Exploded Drawing

Year of production: >02/18



Raindance Select S
Overhead shower 300 2jet with ceiling connector
 Finish: **White/Chrome** Article Number: **27337400**



Spare part list

Year of production: >02/18

Pos.	Description	Article Number	Price	PU
1	connecting thread	95188000	-	1
2	mounting kit	95208000	-	1
3	O-ring 34x2	98383000	-	1
4	escutcheon Ø 80 mm	92122000	-	1
5	shower arm	27479000	-	1
6	O-ring 16x2	98133000	-	1
7	seal	98058000	-	1
8	spray body	92292450	-	1
9	selector assy	98343000	-	1
10	filter	97735000	-	1