

Single lever basin mixer 100 with isolated water conduction and pop-up waste set

Finish: **Chrome** Article Number: **71571000**



Description

product features

· consists of: single lever basin mixer, waste set

ComfortZone: 100projection: 108 mmspout height: 88 mm

handle variant: lever handlespray type: normal sprayswiveling spray former

· maximum flow rate at 3 bar: 5 l/min

· ceramic cartridge

· temperature limitation adjustable

 with isolated water conduction - without contact with nickel and lead

· suitable for continuous flow water heaters

pop-up waste set G 1¼

· material waste set: synthetic

connection type: G % hose connections


connection dimension: DN15

EU taxonomy: max. 6 l/min - Substantial Contribution

(SC) possible










Single lever basin mixer 100 with isolated water conduction and pop-up waste set Finish: Chrome Article Number: 71571000








Single lever basin mixer 100 with isolated water conduction and pop-up waste set

Finish: **Chrome** Article Number: **71571000**







Single lever basin mixer 100 with isolated water conduction and pop-up waste set

Finish: **Chrome** Article Number: **71571000**



Spare part list Year of production: >04/21 Pos. **Description Article Number** PC ΡU handle screw cover flange nut cartridge, assy locking screw for handle aerator swivelling M24x1 (5 l/min) seal Ø 42 fixing set pull rod pop up waste а b lever arm 340mm (ball-Ø12mm)