

Vernis Blend

Single lever shower mixer for exposed installation with 2 flow rates

Finish: **Chrome** Article Number: **71646000**



Description

product features

- 1 function
- maximum flow rate at 3 bar: 30 l/min
- flow rate of hand shower at 3 bar: 15,2 l/min
- ceramic cartridge with Eco handle position for a reduced flowrate by up to 50%
- temperature limitation adjustable
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- hose connection DN15
- connection dimension: DN15
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: S-connections

Technology




Certificates / Sustainability



Product image



Scale drawing




Vernis Blend

Single lever shower mixer for exposed installation with 2 flow rates

Finish: **Chrome** Article Number: **71646000**



Flowchart




Vernis Blend
Single lever shower mixer for exposed installation with 2 flow rates
 Finish: **Chrome** Article Number: **71646000**



Exploded Drawing

Year of production: >01/21



Vernis Blend

Single lever shower mixer for exposed installation with 2 flow rates

Finish: **Chrome** Article Number: **71646000**



Spare part list

Year of production: >01/21

Pos.	Description	Article Number	PC	PU
1	handle	93715000	9	1
2	screw cover	96338000	1	1
3	flange	93716000	2	1
4	nut	93717000	4	1
5	cartridge, assy	95730000	9	1
6	locking screw for handle	95140000	2	1
7	seal	95008000	3	1
8	set of non return valves DW 15	94074000	5	1
9	O-ring 16x2	98133000	1	1
10	connecting thread G½	93767000	3	1
11	filter packing	96922000	3	1
12	escutcheon Ø 70 mm	93718000	4	1
13	set of S-unions (±12 mm)	94140000	10	1
14	noise reduction	96429000	2	1