

SHOWER TOILET SUPREO SELECT

PRODUCT INFORMATION

1 . POSITION




Article number	V16EN3R1
Article title	Villeroy & Boch Supreo Select TwistFlush Supreo Select shower toilet, White Alpin CeramicPlus
Product designation	Supreo Select shower toilet
Collection	Supreo Select
Assembly / Assembly type	wall-mounted
Assembly instructions	Power and water connection must be available Use only in working pressure range between 0.05 Mpa (dynamic) and 0.75 Mpa (static) Use solely in a water temperature range between 3°C and 35°C A water softening unit is recommended for a level of water hardness of ≥ 2.4 mmol/l ($\geq 14^\circ\text{dH}$). Note: Required accessories for the AutoFlush function must be used in combination (V994 48 00 and V994 42 XX)!
Scope of delivery	1 x shower toilet, rimless 1 x remote control 1 x seat with cover 1 x water connection set
Ordering information	Note: Required accessories for the AutoFlush function must be used in combination (V994 48 00 and V994 42 XX)!
Length in mm	612
Width in mm	384
Height in mm	423
Weight in kg	35,00
Suitable for	Concealed cistern Installation system
Rimless	Yes
Flush type	Washdown toilet
Outlet / outlet	horizontal outlet
Wall-mounted - floor-standing	wall-mounted
Function	• with automatic lowering mechanism (SoftClosing) • with seat heating • with warm water • with odour extraction • with Rear wash • with Lady wash • with Comfort wash • with adjustable jet pressure

- with adjustable w:
temperature
- with adjustable nc
position
- with automatic no
cleaning before a
- with Invisible Jet 1
- with app control
- with automatic op
closing of the lid

Material	Sanitary ceramics
Colour name	White Alpin CeramicPlus
Other material	• Toilet seat and co Duroplast • Shower nozzle: C
Other surfaces	Toilet seat and cover: glo nozzle: glossy
Degree of protection	IP X4
EAN number	4065467462293

COLOUR

COLOUR DESIGNATION



White Alpin

